

# CMB Lensing x Galaxy Surveys


CMB-S4 2022 Spring Collaboration Meeting

Chihway Chang (UChicago/KICP)






<u>https://arxiv.org/abs/2203.06795</u> (Baxter, CC, Hearin et al.; Image credit: Yuuki Omori)




<a href="https://arxiv.org/abs/2203.06795">https://arxiv.org/abs/2203.06795</a> (Baxter, CC, Hearin et al.; Image credit: Yuuki Omori)




<a href="https://arxiv.org/abs/2203.06795">https://arxiv.org/abs/2203.06795</a> (Baxter, CC, Hearin et al.; Image credit: Yuuki Omori)

### Why cross-correlate?


- Access to high-redshift large-scale structure (LSS) information: dark energy, gravity, neutrinos, primordial non-Gaussianity
- Increased **robustness** in LSS cosmology: astrophysical and observational systematics







### Why cross-correlate?

- Access to high-redshift large-scale structure (LSS) information: dark energy, gravity, neutrinos, primordial non-Gaussianity
- Increased **robustness** in LSS cosmology: astrophysical and observational systematics






## It's promising!



#### Where we are now

Current constraints are already competitive! But, devils are in the details... there are many things we learn from doing this with Stage-III data.



#### Where we are now

Current constraints are already competitive! But, devils are in the details... there are many things we learn from doing this with Stage-III data.

- CMB lensing x galaxy surveys can now provide meaningful cosmological constraints
- Technological advances in analysis
- Need to improve on small-scale modeling
- We do not forecast surprises
- Cross-survey, cross-collaboration analyses takes real effort and real dedicated sources: joint simulations, joint analysis tools, crosscollaboration infrastructure

#### Thanks!




Image credit: David Kirkby